

# Dry and Clean Drilling in all Tiles



**NEW!** Self-cooling diamond drill bits  
and cutters for drills and angle grinders.



**BOSCH**  
Invented for life

# Dry drilling

even in the hardest tiles

**The innovative self-cooling and powerful diamond dry drill bits and cutters for drills and angle grinders enable clean drilling without water in all types of tile.**

Hard tiles are increasingly being used in interiors, not only for floors, but also for walls in kitchens and bathrooms. Until now, water cooling always had to be used when drilling holes in very hard tiles, in order to prevent the build-up of heat from damaging the diamonds. This usually meant that extra dirt was caused by the moisture and drilling dust, and it often resulted in time-consuming cleaning after drilling. Bosch is now putting an end to this!

The new diamond dry drill bits and cutters make drilling in hard tiles easier, cleaner and more efficient. And they offer a very long lifetime and very high drilling performance.

The range covers all diameters required for plumbing and tiling work:

- ▶ **Easy Dry diamond drill bits in diameters of 6 to 14 mm for cordless screwdrivers and drills.**
- ▶ **Dry Speed diamond cutters in diameters of 14 to 83 mm for angle grinders.**

With these self-cooling diamond dry drill bits and cutters, Bosch is offering specialist retailers a true innovation in the diamond tools segment. For the highest requirements, for more sales and for satisfied tradesmen.

# Contents

<b>Easy Dry diamond drill bits</b>	for cordless screwdrivers and drills	<b>4</b>
<b>Dry Speed diamond cutters</b>	for angle grinders	<b>8</b>
<b>Range overview</b>	Easy Dry diamond drill bits	<b>10</b>
	Dry Speed diamond cutters	<b>12</b>
	Diamond dry drill bits and router bits	<b>14</b>
	Diamond wet drill bits	<b>16</b>
	Diamond cutting discs	<b>19</b>
<b>Work safety</b>		<b>22</b>


# Easy Dry diamond drill bits:

## long lifetime, easy handling

The strength of the new Easy Dry diamond drill bits lies in their easy handling and their very long lifetime despite dry use. This minimises time-consuming preparatory work, which is common with wet drilling.

- ▶ **No more installing – No need for water bottle and centring aid**
- ▶ **No longer necessary to remove the piece of drilled material**
- ▶ **No time-consuming cleaning of the work area after drilling**
- ▶ **Self-sealing drill bit; coolant does not leak**

### Double the lifetime



Tests by Bosch with 6-mm diamond drill bit in fine stoneware.




# Innovative self-cooling

## for clean drilling

The drill bit's diamonds are cooled by a vegetable oil based coolant inside the drill bit shank. This coolant flows through the drill bit tip during drilling and cools the diamonds.

The coolant is released by the rotary motion of the drill bit and by the volume reduction in the bit body. The diamonds are effectively cooled during drilling. This prevents premature burn-up of the diamonds and increases the lifetime.




# Correct handling

## for the optimum work result


Crucial to working with diamond dry drill bits effectively is that they are handled correctly. It is advisable to apply the drill bit at a slightly inclined angle. After starting to drill the hole, the drill bit is gradually brought into a perpendicular position. The fast drilling rate is enhanced by performing slight circular motions during drilling.

The waste material no longer has to be removed, when using the diamond drill bits with diameters of 6 to 14 mm, because it is used to stop the coolant supply. In every subsequent drilling application, pressure forces the waste material into the inside of the drill bit and new oil for cooling is fed to the drill bit tip.


To ensure the long lifetime, it is important to make sure that only tiles are drilled. Appropriately adapted drill bits should be used to drill holes in other materials.




Insert the drill bit into the toolholder.



Remove the stopper.



Apply the drill bit at an incline to start drilling (angle of 15° to 30°) and gradually straighten it up.



Drill through the tile using slight circular motion.



# Dry Speed diamond cutters:

## for the highest drilling speed in




The diamond dry cutters with M14 shank for angle grinders with a maximum speed of 11,000 rpm achieve a considerably higher cutting speed and have a longer lifetime than comparable wet drilling products.


Outstanding effect:

- **More holes can be drilled in the shortest time and with less effort.**

### Ten times longer lifetime




### Considerably higher drilling speed




BOSCH

## all hard tiles



Apply the cutter at an incline to start drilling  
(angle of 15° to 30°) and gradually straighten it up.



Drill through the tile or natural stone slab with  
slight circular motion.



# Diamond dry drill bits


 **easyDRY**

**Easy Dry diamond drill bits for outstanding drilling results**



## Diamond drill bits Easy Dry

best  Ceramic



**Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware.

For use in cordless screwdrivers and drills with 13 mm chuck.

**Note:** Drill without impact. Optimum speed: 1500 rpm.



Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
<b>Product properties</b>						<b>Ordering information</b>	
6	15/64	33	<b>2 608 587 139</b>	P1p	1	1	577915
7	9/32	33	<b>2 608 587 140</b>	P1p	1	1	577922
8	5/16	33	<b>2 608 587 141</b>	P1p	1	1	577939
10	25/64	33	<b>2 608 587 142</b>	P1p	1	1	577946
12	15/32	33	<b>2 608 587 143</b>	P1p	1	1	577953
14	9/16	33	<b>2 608 587 144</b>	P1p	1	1	577960

## Robust Line diamond drill bit set Easy Dry

best  Ceramic




Diameter mm	Working length(s) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
Product properties		Ordering information				
3-piece diamond drill bit set		33	2 608 587 145	P1k	3	1
6	8	10				577977

Set size A:

156.5 x 69.5 x 21.5 mm


**DRYspeed**

**Dry Speed diamond cutters for considerably higher drilling speed and longer lifetime**



### Diamond cutters Dry Speed

best Ceramic



**Suitable for** soft wall tiles through to very hard floor tiles and natural stone.

For use on angle grinders.



Product properties	Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
14	9/16	30	2 608 587 113	P1h	1	1	577656	
16	5/8	30	2 608 587 114	P1h	1	1	577663	
20	25/32	35	2 608 587 115	P1h	1	1	577670	
22	7/8	35	2 608 587 116	P1h	1	1	577687	
25	1	35	2 608 587 117	P1h	1	1	577694	
27	1 1/16	35	2 608 587 118	P1h	1	1	577700	
30	1 3/16	35	2 608 587 119	P1h	1	1	577717	
32	1 1/4	35	2 608 587 120	P1h	1	1	577724	
35	1 3/8	35	2 608 587 121	P1h	1	1	577731	
38	1 1/2	35	2 608 587 122	P1h	1	1	577748	
40	1 9/16	35	2 608 587 123	P1h	1	1	577755	
45	1 49/64	35	2 608 587 124	P1h	1	1	577762	
51	2	35	2 608 587 125	P1h	1	1	577779	
55	2 11/64	35	2 608 587 126	P1h	1	1	577786	
57	2 1/4	35	2 608 587 127	P1h	1	1	577793	
60	2 3/8	35	2 608 587 128	P1h	1	1	577809	

Order quantity for a part number in pieces = Sales package quantity x despatch package quantity


Order quantities that do not match the specified increments of the despatch package quantity (e.g. 5 -> 10 -> 15) are automatically rounded up to the next increment.

## Diamond cutters Dry Speed

Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
Product properties		Ordering information					
65	2 9/16	35	2 608 587 129	P1h	1	1	577816
67	2 5/8	35	2 608 587 130	P1h	1	1	577823
68	2 11/16	35	2 608 587 131	P1h	1	1	577830
70	2 3/4	35	2 608 587 132	P1h	1	1	577847
75	2 61/64	35	2 608 587 133	P1h	1	1	577854
80	3 5/32	35	2 608 587 134	P1h	1	1	577861
83	3 1/4	35	2 608 587 135	P1h	1	1	577878

## Diamond cutter set Dry Speed

best to Ceramic



Diameter mm	Working length(s) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
Product properties		Ordering information				



3-piece diamond cutter set

14	30	2 608 587 136	U0	3	1	577885	
25	35						
35							



4-piece diamond cutter set


25	35	45	51	35	2 608 587 137	U0	4	1	577892	
----	----	----	----	----	---------------	----	---	---	--------	--

# Diamond dry drill bits and router bits

## for GTR 18 V-LI and GTR 30 CE Professional

### Diamond drill bits Best for Ceramic

best  Ceramic



**Appropriate for** GTR 18 V-LI and GTR 30 CE Professional.

**Suitable for** soft wall tiles through to very hard floor tiles and natural stone.



Product properties	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
6	15/64	35	<b>2 608 587 155</b>	P1a	1	1	587686	
8	5/16	35	<b>2 608 587 156</b>	P1a	1	1	592734	
12	15/32	35	<b>2 608 620 211</b>	P1a	1	1	582018	
15	19/32	35	<b>2 608 620 212</b>	P1a	1	1	582025	
21	7/8	35	<b>2 608 620 213</b>	P1a	1	1	582032	
25	1	35	<b>2 608 620 214</b>	P1a	1	1	582049	
30	1 3/16	35	<b>2 608 620 215</b>	P1a	1	1	582056	
35	1 3/8	35	<b>2 608 620 216</b>	P1a	1	1	582063	

### Diamond router bit Best for Ceramic

best  Ceramic



**Appropriate for** GTR 18 V-LI and GTR 30 CE Professional.

**Suitable for** soft wall tiles through to hard floor tiles.



Product properties	Shank mm	Shank Inch	Diameter (D) mm	Working length (L) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
6.35	1/4	7.2	35	<b>2 608 620 217</b>	P1a	1	1	582070	

**Carbide router bit****Appropriate for** GTR 18 V-LI and GTR 30 CE Professional.**Suitable for** soft wall tiles.

Shank mm	Shank Inch	Diameter (D) mm	Working length (L) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
Product properties			Ordering information					
4	5/32	4	25	<b>2 608 620 218</b>	P1a	1	1	582087

**Accessories for diamond drill bits and router bits, carbide router bits**

Diameter mm	Diameter Inch	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
Product properties		Ordering information				
Collet		<b>2 608 620 219</b>	PC1b	1	1	582094



<b>4.0</b>	5/32	<b>2 608 620 219</b>	PC1b	1	1	582094
------------	------	----------------------	------	---	---	--------




Dust extraction hose

**Appropriate for** GTR 30 CE Professional

35	1 3/8	<b>2 607 002 626</b>	C1a	1	1	582001
50	2					

# Diamond wet drill bits



## Diamond holesaws for Hard Ceramics

**diamond for HardCeramics**

The cutting quality depends on the correct speed and the coolant used (see operating instructions).

**Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware; cylindrical shank.

**Note:** Drill without impact. Always work with water cooling. Only work with cordless drills.



Product properties	Diameter mm	Diameter Inch	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
19	3/4	2 608 580 301	PC1b	1	1	488990	3165140...
20	25/32	2 608 580 302	PC1b	1	1	489003	
22	7/8	2 608 580 303	PC1b	1	1	489010	
25	1	2 608 580 304	PC1b	1	1	489027	
29	1 1/8	2 608 580 305	PC1b	1	1	489034	
32	1 1/4	2 608 580 306	PC1b	1	1	489041	
35	1 3/8	2 608 580 307	PC1b	1	1	489058	
38	1 1/2	2 608 580 308	PC1b	1	1	489065	
41	1 5/8	2 608 580 394	PC1b	1	1	515160	
44	1 3/4	2 608 580 309	PC1b	1	1	489072	
51	2	2 608 580 310	PC1b	1	1	489089	
54	2 1/8	2 608 580 311	PC1b	1	1	489096	
57	2 1/4	2 608 580 312	PC1b	1	1	489102	
60	2 3/8	2 608 580 313	PC1b	1	1	489119	
64	2 1/2	2 608 580 314	PC1b	1	1	489126	
65	2 9/16	2 608 580 315	PC1b	1	1	489133	
67	2 5/8	2 608 580 316	PC1b	1	1	489157	
68	2 11/16	2 608 580 317	PC1b	1	1	489164	

Order quantity for a part number in pieces = Sales package quantity x despatch package quantity

Order quantities that do not match the specified increments of the despatch package quantity (e.g. 5 -> 10 -> 15) are automatically rounded up to the next increment.

## Diamond holesaws for Hard Ceramics

Diameter mm	Diameter Inch	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
Product properties		Ordering information				
70	2 3/4	2 608 580 318	PC1b	1	1	489171
76	3	2 608 580 319	PC1b	1	1	489188
79	3 1/8	2 608 580 320	PC1b	1	1	489195
83	3 1/4	2 608 580 321	PC1b	1	1	489201

## Diamond drill bits for Hard Ceramics

**Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware.

**Note:** Drill without impact. Always work with water cooling. Only work with cordless drills.



Diameter (D) mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
Product properties		Ordering information			
5	2 608 550 605	P1a	1	1	495721
6	2 608 550 606	P1a	1	1	495738
7	2 608 550 607	P1a	1	1	495745
8	2 608 550 608	P1a	1	1	495752
10	2 608 550 609	P1a	1	1	495769
12	2 608 550 610	P1a	1	1	495776
14	2 608 550 611	P1a	1	1	495783

## Accessories for diamond holesaws for Hard Ceramics

Product properties	Ordering information
Power-Change adapter with 8-mm hex shank. For holesaw diameter of 14-152 mm. Without pilot drill bit.	2 608 584 844 PC1b 1 1 429245
Power-Change adapter Heavy Duty with 11-mm hex shank. For holesaw diameter of 14-152 mm. Without pilot drill bit.	2 608 580 095 PC1b 1 1 469500
Power-Change adapter with SDS-plus shank. For holesaw diameter of 14-152 mm. Without pilot drill bit.	2 608 584 845 PC1b 1 1 429252

Order quantity for a part number in pieces = Sales package quantity x despatch package quantity  
Order quantities that do not match the specified increments of the despatch package quantity (e.g. 5 -> 10 -> 15) are automatically rounded up to the next increment.

## Robust Line diamond drill bit sets for Hard Ceramics

**Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware.

**Note:** Drill without impact. Always work with water cooling. Only work with cordless drills.



Set size A:  
156.5 x 69.5 x 21.5 mm

Product properties	Diameter mm	Part number	Packaging type	Sales package quantity	Despatch quantity	Barcode
<b>4-piece Robust Line diamond drill bit set</b>						
	6.0 8.0 10.0 14.0	2 607 019 880	P1k	4	1	495790
	5.0 6.0 7.0 8.0	2 607 019 881	P1k	4	1	495806



Set size A:  
156.5 x 69.5 x 21.5 mm

## Accessories for diamond drill bits and diamond holesaws



Product properties	Part number	Packaging type	Sales package quantity	Despatch quantity	Barcode
<b>Centring aid for diamond drill bits</b>					
	2 608 598 142	PC1a	1	1	495813



Product properties	Part number	Packaging type	Sales package quantity	Despatch quantity	Barcode
<b>Centring aid for diamond drill bits and holesaws</b>					
	2 608 580 327	C1a	1	1	489683



Product properties	Part number	Packaging type	Sales package quantity	Despatch quantity	Barcode
<b>Pressurised water bottle</b>					
For water cooling of the diamond drill bits and holesaws Max. filling capacity 0.9 L Including hose (1.5 m long)	2 608 190 048	C1a	1	1	495820

Order quantity for a part number in pieces = Sales package quantity x despatch package quantity  
Order quantities that do not match the specified increments of the despatch package quantity (e.g. 5 -> 10 -> 15) are automatically rounded up to the next increment.

# Diamond cutting discs

## FPP Extra-clean

**Scope of range:** 115 mm and 125 mm diameter

**Segmented cooling slots**

Enable less chips and, therefore, less risk of tile breakage compared to conventional, thicker diamond cutting discs for tiles



**Flange**

For more stability and less vibration.

**Extra-thin cutting edge of 1.2 mm**


For very clean and fine cuts in tiles. This removes the need for reworking and offers quick cutting with low resistance.

**Standard tile disc**



Normal cut > 1.6 mm

**Bosch FPP Extra-clean**



Fine, chip-free cut 1.2 mm

### Diamond cutting discs FPP Extra-clean

#### professional plus



The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts. Exact cut edges and considerably less risk of tile breakage in all tiles.



Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
<b>Product properties</b>					<b>Ordering information</b>			
115	22.23	1.2	5	2 608 602 368	C1c	1	1	504997
125	22.23	1.2	5	2 608 602 369	C1c	1	1	505000

**Diamond cutting discs FPP Gres****professional plus**

The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as gres and extremely hard fine stoneware.



Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Part number	Packaging type	Sales package quantity	Despatch quantity	Barcode
Product properties				Ordering information				
115	22.23	1.4	7	2 608 602 478	C1c	1	1	518086
125	22.23	1.4	7	2 608 602 479	C1c	1	1	518093

**Diamond cutting discs FPP****professional plus**

The right disc for the highest demands on lifetime.

Good cut quality without broken edges, even in extra-hard fine stone slabs.



Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Part number	Packaging type	Sales package quantity	Despatch quantity	Barcode
Product properties				Ordering information				
110	22.23	1.6	8	2 608 600 183	C1c	1	1	110983
115	22.23	1.6	8	2 608 600 184	C1c	1	1	110990
125	22.23	1.6	8	2 608 600 185	C1c	1	1	111003
150	22.23	1.6	8	2 608 600 186	C1c	1	1	111010
180	22.23	1.8	8	2 608 600 187	C1c	1	1	111027
230	22.23	1.8	8	2 608 600 188	C1c	1	1	111034



180	25.40	1.5	8	2 608 602 209	C1c	1	1	441377
200	25.40	1.5	8	2 608 602 208	C1c	1	1	441360
230	25.40	1.8	8	2 608 602 419	C1c	1	1	511957
250	25.40	2.0	8	2 608 602 420	C1c	1	1	511964
300	25.40	2.0	8	2 608 600 750	C1a	1	1	277884
350	25.40	2.0	8	2 608 600 751	C1a	1	1	277891



Appropriate for Cordless Angle Grinder GWS 14,4 V Professional  
With SDS-pro fitting

100	22.23	1.6	8	2 608 600 856	C1c	1	1	293396
-----	-------	-----	---	---------------	-----	---	---	--------

Order quantity for a part number in pieces = Sales package quantity x despatch package quantity  
Order quantities that do not match the specified increments of the despatch package quantity (e.g. 5 -> 10 -> 15) are automatically rounded up to the next increment.

## Diamond cutting discs FPE

**professional eco**

For clean cut edges in ceramic tiles. The low-cost solution for all-round use.



Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
Product properties				Ordering information				
<b>110</b>	22.23	1.6	5	<b>2 608 600 437</b>	C1c	1	1	197007
<b>115</b>	22.23	1.7	5	<b>2 608 602 201</b>	C1c	1	1	441292
<b>125</b>	22.23	1.7	5	<b>2 608 602 202</b>	C1c	1	1	441308
<b>150</b>	22.23	1.9	5	<b>2 608 602 203</b>	C1c	1	1	441315
<b>180</b>	22.23	2.2	5	<b>2 608 602 204</b>	C1c	1	1	441311
<b>230</b>	22.23	2.4	5	<b>2 608 602 205</b>	C1c	1	1	441339
<b>180</b>	25.40	1.6	5	<b>2 608 602 211</b>	C1c	1	1	441391
<b>200</b>	25.40	1.6	5	<b>2 608 602 210</b>	C1c	1	1	441384
<b>230</b>	25.40	1.9	5	<b>2 608 602 421</b>	C1c	1	1	511971
<b>250</b>	25.40	1.9	5	<b>2 608 602 422</b>	C1c	1	1	511988
<b>300</b>	25.40	2.0	5	<b>2 608 600 755</b>	C1a	1	1	277938
<b>350</b>	25.40	2.0	5	<b>2 608 600 756</b>	C1a	1	1	277945

## Accessories for working with diamond cutting discs

Diameter mm	Diameter mm	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode	
Product properties		Ordering information					
-	-	<b>100</b>	<b>2 605 703 016</b>	P0b	1	1	056816



**Locking flange**  
for clamping 300 mm diameter discs  
**Appropriate for** Slot Cutter GSF 100 A (0 601 367...); Special Cut-Off Grinders (0 601 364...); GWS 24-300; GWS 24-300 J Professional

-	<b>100</b>	<b>2 605 703 016</b>	P0b	1	1	056816
---	------------	----------------------	-----	---	---	--------



Locking flange for special cut-off grinders 0 601 364 ...  
for clamping 300 mm diameter discs  
**Appropriate for** Slot Cutter GSF 100 A (0 601 367...); GWS 24-300; GWS 24-300 J Professional

-	<b>100</b>	<b>2 605 703 017</b>	P0b	1	1	056823
---	------------	----------------------	-----	---	---	--------



Flange sets  
for clamping 300 mm diameter discs  
**Appropriate for** Slot Cutter GSF 100 A (0 601 367...); GWS 24-300; GWS 24-300 J Professional

-	-	<b>2 603 345 003</b>	P0b	1	1	056809
---	---	----------------------	-----	---	---	--------

Parallel guide  
**Appropriate for** GNF 20 CA Professional

-	-	<b>3 607 000 060</b>	P0b	1	1	018654
---	---	----------------------	-----	---	---	--------

# Accessories for work safety

## Protective goggles



### Product properties

Tested to	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
EN 166	2 607 990 037	P1d	1	1	093668

### Ordering information

Full protection goggles  
With indirect ventilation and mist-free, colourless plastic lens. Protect against strong knocks, large dust particles and liquid. Also suitable for spectacle wearers.



### Protective goggles

Fully transparent, can be worn over glasses.

EN 166	2 607 990 041	P1d	1	1	093705
--------	---------------	-----	---	---	--------

## Protective masks



### Fine dust mask

Protects against non-toxic fine dust, for use by do-it-yourselfers, for work such as drilling, chiselling and cutting. Unsuitable protection against poisonous gases and vapours!

EN 149 FF P1	2 607 990 032	P1d	2	1	093613
--------------	---------------	-----	---	---	--------

### Fine dust mask

Protects against low level poisonous particles, fine dust, grinding dust when sanding wood and concrete; e.g. dust from sanding paint. Same as class FF P1 but with a higher degree of protection.

EN 149 FF P2	2 607 990 034	P1d	2	1	093637
--------------	---------------	-----	---	---	--------



### Fine dust/odour mask

For low level poisonous particles, foul organic smells and particles (paint spray mask). With exhalation valve for easier breathing. With integrated activated charcoal filter for reduction of smells.

EN 149 FF P2	2 607 990 036	P1d	2	1	093651
--------------	---------------	-----	---	---	--------



## Ear protectors

Product properties	Ordering information	Tested to	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
--------------------	----------------------	-----------	-------------	----------------	------------------------	---------------------------	---------



### Ear protectors

Soundproofing level 19 dB (A)

Adjustable plastic bar. All parts washable. L rate 14 dB, M rate 20 dB, H rate 27 dB, SNR rate 23 dB

EN 352	2 607 990 042	P1d	1	1	093712
--------	---------------	-----	---	---	--------



### Ear protectors

Soundproofing level 24 dB (A)

Folding, padded, adjustable head bar. L rate 17 dB, M rate 25 dB, H rate 32 dB, SNR rate 28 dB

EN 352	2 607 990 043	P1d	1	1	093729
--------	---------------	-----	---	---	--------



### Ear plugs

In plastic box. L rate 31 dB, M rate 32 dB, H rate 32 dB, SNR rate 34 dB

EN 352	2 607 990 044	P1d	10	1	093736
--------	---------------	-----	----	---	--------

## Protective gloves

Hands also need to be protected, e.g. stones can become missiles during breaking work.

Product properties	Ordering information	Tested to	Part number	Packaging type	Sales package quantity	Despatch package quantity	Barcode
--------------------	----------------------	-----------	-------------	----------------	------------------------	---------------------------	---------



### Protective gloves

Made of grey cowhide leather, leather thickness 1.2 mm, back of hand made of twisted cotton, finger nail, wrist and pulse protection, sewn-in rubber insert, plastic-coated twisted sleeve, inside palm lining, length 26 cm, men standard size 10.

2 607 000 134	P1d	1	1	017954
---------------	-----	---	---	--------



**Robert Bosch**  
15th Road, Randjespark  
Privat Bag X118  
Midrand, 1685  
Phone: (011) 651 9600  
Fax: (011) 651 9881 (Sales)  
(011) 651 9880 (Marketing)



**BOSCH**  
Invented for life