

Accessories range for multi-cutter power tools. Offers solutions for all applications. Fits all conventional machines.



High performance

Efficient work progress

For time and cost saving work:

The comprehensive range of accessories for multi-cutter power tools has been expanded to include a worldwide innovation and additional new products. These Bosch accessories stand for very high cutting speed and particularly long lifetime.

Thanks to the new universal adapter, the Bosch accessories are suitable for multi-cutter power tools from all conventional manufacturer brands.

The positive-engagement OIS 12-point mounting system from Bosch enables precise work and high power transfer. This mounting system also allows for positioning of the accessories every 30 degrees – for particularly high flexibility.



Bosch therefore offers specialist retailers and professional tradesmen a convincing system and optimum accessories.





Introduction	4
► 3Max Grout and Mortar Remover	8
► BIM-TiN Segment and Round Saw Blades	10
► Bi-Metal Serrated Segment Blade	12
► Diamond-RIFF Segment Saw Blade	14
► Universal Adapter	15
► Overview of Accessories for Multi-Cutters	16
Accessories Range for Multi-Cutters	23
. 0	0.0
► Sawing	23
► Routing and Rasping	28
► Scraping	30
► Cutting	31
Sanding and Polishing	33
► Sets	37
► Universal Adapter	38
Multi-Cutters	39
Work Safety	40
A	40
Application Matrix	42

Leader in quality and innovation

Made in Switzerland



Leading manufacturer of accessories for power tools, Bosch puts its faith in excellent quality and customer benefit; which is why it develops and produces the accessories itself.



The Bosch high-tech plant in St. Niklaus near to Zermatt/Switzerland has been leading the development and production of sabre saw and jigsaw blades for over 60 years. Thanks to this extremely high level of expertise in cutting technology, the Bosch accessories for multi-cutter power tools excel due to:

- ► Particularly high quality
- ► Innovative functions
- ► Unique increased efficiency

The technology leadership in the bi-metal circular welding technique is deserving of special mention. Thanks to this technical key competence, the wider HSS strip is precisely welded onto the thinner HCS base body. As a result, the teeth are free-standing. This especially benefits the accessories for multicutter power tools:

For high-quality cuts at the best price/performance ratio.

The innovations from Bosch

Powerful solutions for all conventional applications





Bosch offers innovative solutions and a comprehensive range of accessories for all conventional applications with multi-cutter power tools. For time-saving and precise work with all conventional brands of multi-cutter power tools.

Only the 3Max grout and mortar remover combines all conventional grout and mortar removal applications in one accessory, therefore offering true, innovative increased efficiency and a particularly long lifetime.







Routing joints on wall and floor tiles.

Removing mortar or tile adhesive – even right into corners.



High-quality tungsten carbide grit coated cutting edge

- ► For routing joints on wall and floor tiles
- ► Also suitable for routing grooves in porous concrete and cutting particularly abrasive materials



High-quality tungsten carbide grit coated sanding plate

- ► Ideal for removing mortar and tile adhesive
- ► Also suitable for removing carpet residues from a mineral surface

The 3Max grout and mortar remover combines a segment blade with a Delta-RIFF blade in its drop-shape design. As a result, the 3Max grout and mortar remover can be used both to rout the grout out from around a damaged tile and also to rasp away the mortar or tile adhesive without having to change the accessory. This enables a new tile to be changed after tiling without any problems.

The carbide-coated tip (sanding/rasping finger) also enables grout and mortar to be removed cleanly right into corners.

The 3Max grout and mortar remover also excels in use due to its particularly long lifetime.



Routing joints right into 90 degree corners.

The BIM-TiN segment and round saw blades have an exceptionally long lifetime in abrasive materials, non-ferrous metals, wood with nails, and sheet metals up to approx. 1 mm.






Cutting wood with nails.

Cutting sheet metals up to approx. 1 mm thick, with minimal flying sparks.

Removing old window putty right into corners – without breaking the glass.




The new BIM-TiN segment and round saw blades have an exceptionally long lifetime. The tooth strip, which is additionally coated with titanium nitride, makes the saw blades particularly wear-resistant to abrasive materials such as epoxy, fibreglass, cement panels and also to wood with nails. The BIM-TiN saw blades are also well suited to non-ferrous metals and sheet metal up to approx. 1 mm.

Thanks to the circular welding technique, which is a key competence of Bosch, the wider HSS strip is precisely welded onto the thinner HCS base body. As a result, the teeth are free-standing.

For high-quality cuts.

The bi-metal serrated segment blade, 100 mm, is particularly suitable for fast, clean and precise cutting to size of insulation and other soft materials.





Over 40% faster in insulation materials Tests by Bosch in heat insulation and sound dampening panels. Bosch Standard



Flush cutting to length of protruding insulation material. Also particularly suitable for cutting other soft materials such as carpet, rubber, leather or cardboard.

The Diamond-RIFF segment saw blade, 85 mm, with long lifetime and high cutting speed is particularly suitable for hard and abrasive materials such as grout, fibreglass or epoxy.




Routing joints on wall tiles.

Routing a recess in epoxy/glass fibre reinforced plastic, e.g. in a boat's hull.

Smaller cutouts can also be routed in soft wall tiles.

The Bosch diamond blade offers a longer lifetime than conventional Diamond-RIFF saw blades for multi-cutter power tools thanks to its outstanding Diamond-RIFF compound (diamond grit).

Moreover, the diameter of 85 mm (market standard only 65 mm) and the optimised Diamond-RIFF compound ensure a higher cutting speed.



Thanks to the universal adapter, the oscillating accessories from Bosch fit all conventional multi-cutter power tools.




Easy mounting on the toolholder of a conventional multi-cutter power tool.

Attach the desired Bosch accessory

and start working.

With the new Bosch universal adapter, the accessories fit all conventional multi-cutter power tools. There are therefore no system restrictions. The positive engagement guarantees optimum power transfer.

Bosch accessories excel due to their excellent price/performance ratio.



For FEIN Multimaster FMM Q, Craftsman Multi-tool.

For Rockwell and Worx Sonicrafter, Mastercraft Multi-Cutter, Dremel Multi-Max, Multi2Pro Multi-tool, Rigid Multi-tool.

Accessories for multi-cutter power tools – perfect trimming, adjusting and repairing

The accessories in the range for multi-cutter power tools are versatile due to the cutting principle. The appropriate accessory is therefore available for every application – be it sawing, routing, rasping, cutting, scraping, sanding or polishing, even in hard-to-reach areas.

For time-saving and precise work with all brands of multi-cutter power tools.



Tile or bathroom renovation

Bosch accessories make light work of even the hardest materials. Their applications range from routing joint cement, to removing mortar or tile adhesive, through to additionally cutting a cable duct in the wall.

Flooring work

Whether door frame, parquet, laminate, carpet residues or mouldings – Bosch accessories make quick and easy cuts everywhere. For example, they enable a door frame to be cut to length on the floor in no time, cutouts to be made in parquet and laminate in an instant, and skirting boards to be shortened quickly.

Trimming and adjustment work

Bosch accessories work with precision right into the angle. Ideal for recesses and deep plunge cuts in wood, abrasive wooden materials or plastics.


For all work with insulation materials and sealants

The serrated segment blade in BIM quality cuts insulation and other soft materials easily and precisely.

The universal joint cutter is especially suitable for removing soft expansion joints and window putty.

Automobile and ship building

The oscillating Bosch accessories for multi-cutters also offer solutions for work on land and at sea. From sawing work in epoxy and fibreglass parts through to polishing work in inaccessible areas.



Tile and bathroom renovation. The specialists for hard applications.



The oscillating multi-cutter accessories from Bosch enable all types of sanitary applications to be done cleanly, precisely and without much dust formation.

► For time-saving and precise work with all brands of multi-cutter power tools

Effortless routing of 1/8" and 1/16" joints on wall and floor tiles.

Model for 1/8" joints	Part no.
AVZ 70 RT	2608661757
ACZ 85 RT	2608661642
ACZ 85 RD	2608661689

Model for 1/16" joints	Part no.
ACZ 65 RT	2608661692



Removing stubborn mortar or tile adhesive, e.g. when replacing damaged tiles.



Making smaller cutouts precisely in soft wall tiles.



Flush cutting of a protruding copper pipe.



Routing grooves in porous concrete, for laying concealed cables and pipes.

Model	Part no.
AVZ 78 RT	2608661648
AVZ 70 RT	2608661757

Model	Part no.
ACZ 85 RD	260866168

Model	Part no.
AIZ 28 EB	2608661644
AIZ 32 AB	2608661688
AIZ 20 AB	2608661640

Model	Part no.
ACZ 85 RT	2608661642

Flooring work. The problem solvers for working really close to edges or in corners.



Precisely cutting out laminate/parquet, e.g. for installing a partition wall.



Cutting mouldings to length with ease, e.g. aluminium floor cover strip.



Cutting sound dampening panels to size cleanly and efficiently.



Removing stubborn carpet adhesive residues.

Model	Part no.
ACZ 100 BB	2608661633
ACZ 85 EB	2608661636

Model	Part no.
ACZ 100 BB	2608661633
ACZ 85 EB	2608661636
AOI 85 EB	2608661760


 Model
 Part no.

 ACZ 100 SWB
 2 608 661 693

Model	Part no.
ATZ 52 SFC	2608661647
flexible	
ATZ 52 SC	2608661646
rigid	

The Bosch multi-cutter accessories are ideal for flooring work. They offer a versatile range of applications, whether short or long cuts, in the middle or at the very edge.

Exact, flush cutting to length of door frames to fit higher floor coverings (softwood, hardwood, veneered panels, plastic-laminated panels).



Model	Part no.
ACZ 100 BB	2608661633
ACZ 85 EB	2608661636
AIZ 65 BB	2608661781

Trimming and adjustment work. The professionals for working in tight spaces.



Plunge cutting in wood or metal, e.g. for removing window frames or door frames.



Cutting a recess in furniture components, e.g. to enable access to a mains socket.



Problem-free plunge cuts in plasterboard.



Precise plunge cuts in laminated panels, e.g. recess for a shelf board.

Model	Part no.
AIZ 28 EB	2608661644

Model	Part no.
AIZ 32 BB	2608661645
AIZ 32 EC	2608661637
AIZ 20 EC	2608661638
AIZ 10 EC	2608661639

Model	Part no.
AIZ 32 AB	2608661688
AIZ 20 AB	2608661640
AIZ 10 AB	2608661641

Model	Part no.
AIZ 65 BB	2608661781



The oscillating multi-cutter accessories from Bosch work with precision right into the angle because the accessory enables you to make the right cut in the tightest of spaces – even in areas close to floors and walls. Not even metal can stop the bi-metal saw blades.

Effortless plunge cutting in window sills, e.g. for installing a ventilation grille (soft/hard wood).

Model	Part no.
AIZ 32 EC	2608661637
AIZ 20 EC	2608661638
AIZ 10 EC	2608661639

For all work with insulation materials and sealants. The experts for clean and quick cuts in very soft materials.

The accessories from Bosch offer a versatile range of applications for all work with insulation materials and sealants.

The serrated segment blade and the universal joint cutter enable you to cleanly and efficiently cut insulation materials to size.



 Model
 Part no.

 ACZ 100 SWB
 2 608 661 693

 AIZ 28 SC
 2 608 661 691



Flush cutting to length of protruding insulation material, e.g. polystyrene.



Cutting soft expansion joints.




Cutting window putty (sealing compound).



Removing old silicone joints.

Model	Part no.	Model	Part no.	Model	Part no.	Model	Part no.
ACZ 100 SWB	2608661693	AIZ 28 SC	2608661691	AIZ 28 SC	2608661691	ATZ 52 SFC	2608661647
				AOI 65 AB	2608661761	flexible	
				ACI 65 AB	2608661759		

Automobile and ship building. The specialists for sawing, sanding and polishing work on land and also at sea.



The accessories for multi-cutters from Bosch also offer solutions for work on land and at sea. Bosch offers the right multi-cutter accessory for every application range.

Effortlessly cut perfectly clean recesses in epoxy and fibreglass (e.g. cover panels) with the new BIM-TiN segment and round saw blades.

Model Part no.

ACI 85 EB 2608 661 758

ACI 65 AB 2608 661 759

 Model
 Part no.

 AOI 85 EB
 2 608 661 760


 AOI 65 AB
 2 608 661 761



Cutting epoxy and fibreglass is also possible with the new diamond blade; longest lifetime, e.g. for a ventilation grille in a boat's hull.



The new thin-kerf HM-RIFF blade (extra-thin cut) is particularly suitable for cutting/routing abrasive automobile or boat parts, e.g. recess in a dashboard.



Sheet metals can be cut with the new BIM-TiN segment and round saw blades (65 mm) – without many flying sparks.



Sanding down, conditioning and polishing varnish with the sanding sheet sets and polishing pads.


Model	Part no.
ACZ 85 RD	2608661689

BIM-TiN segment saw blade

Exceptionally low in wear and long in life

30% longer lifetime

Particularly wear-resistant to abrasive materials





Ideal for flush working
- Segment saw blades with depressed centre, in BIM quality

Segment and round saw blades, flat

- ► Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)
- ► Appropriate for various commercially available multi-cutters when used with universal adapter











ACI 85 EB

BIM-TiN segment saw blade Multi Material, flat

- ▶ **NEW:** Long Life + 30% longer lifetime thanks to titanium coating
- ► Suitable for working in corners
- Plunge cutting in plasterboard or cement-bonded fibre boards (e.g. for installing a ventilator)
- Cutting smaller mouldings to length (e.g. aluminium floor cover strips)
- ► Cutting recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard in a boat)

85	2 608 661 758	PC1b	. 1	582 230

Segment and round saw blades, flat









ACI 65 AB

BIM-TiN segment saw blade Multi Material, flat

- ▶ **NEW:** Long Life + 30% longer lifetime thanks to titanium coating
- Suitable for working in corners
- Cutting recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard in a boat)
- Cutting sheet metal up to approx. 1 mm (e.g. for cutouts in body sheet)













AOI 85 EB

BIM-TiN round saw blade Multi Material, flat

- ▶ NEW: Long Life + 30% longer lifetime thanks to titanium coating
- ► Cutting wood with nails
- ► Cutting recesses in epoxy/glass fibre reinforced plastic (e.g. casings in boat construction)
- ► Cutting smaller mouldings to length (e.g. aluminium floor cover strips)

_		_					
		85	2608661760	PC1b	1	1	582 254







AOI 65 AB

BIM-TiN round saw blade Multi Material, flat





- ► Cutting sheet metal up to approx. 1 mm (e.g. for cutouts in body sheet)
- Removing old window putty

J	•						
	65	2 608 661 761	PC1b	1	1	582 261	



- ▶ Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)
- ▶ Appropriate for various commercially available multi-cutters when used with universal adapter






ACZ 100 BB

BIM segment saw blade Wood and Metal, with depressed centre

- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plasticlaminated panels)
- ► Cutting out laminate/parquet (e.g. for installing a partition wall)
- ► Cutting smaller mouldings to length (e.g. aluminium floor cover strip)















BIM segment saw blade Wood and Metal, with depressed centre

- ► Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plasticlaminated panels)
- Cutting out laminate/parquet (e.g. for installing a partition wall)
- ► Cutting smaller mouldings to length (e.g. aluminium floor cover strip)

85	2 608 661 636	PC1b	1	1	492 393	








ACZ 85 EC

HCS segment saw blade Wood, with depressed centre


- ▶ Plunge cutting in solid wood (e.g. for installing a ventilation grille)
- ► Flush cutting wood (e.g. a protruding tenon on a wood joint)
- ► Cutting a plastic pipe (PVC) to length





Plunge-cutting saw blades

- ▶ Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)
- ▶ Appropriate for various commercially available multi-cutters when used with universal adapter













BIM plunge-cutting saw blade Wood and Nails

- Cutting wood with nails
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plasticlaminated panels)
- Plunge cuts in laminated panels (e.g. recesses for a shelf board)

65	40	260866	61781 PC1	b 1	1	596 169	











AIZ 28 EB

BIM plunge-cutting saw blade Wood and Metal

- Deep plunge cut in wood, abrasive wooden materials, plastics
- Cutting non-ferrous pipes and profiles with smaller dimensions
- ▶ Cutting non-hardened nails, screws and steel profiles with smaller dimensions

28	50	2 608 661 644	PC1b	1	1	492 478	
28	50	2 608 661 629	PC1b	5	1	484 961	











AIZ 32 BB

BIM plunge-cutting saw blade Hard Wood

- ▶ Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length

32	40	2 608 661 645	PC1b	1	1	492 485	
32	40	2 608 661 630	PC1b	5	1	484 978	







AIZ 32 EC

HCS plunge-cutting saw blade Wood

- ▶ Plunge cutting in softwood (e.g. for installing a ventilation grille)
- ► Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ► Flush cutting wooden components (e.g. dowels, tenons) to length

32	40	2 608 661 637	PC1b	1	1	492 409	
32	40	2 608 661 626	PC1b	5	1	484 930	

AIZ 20 EC







HCS plunge-cutting saw blade Wood

- ▶ Plunge cutting in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons) to length

20	30	2 608 661 638	PC1b	1	1	492 416	
20	30	2 608 661 627	PC1b	5	1	484 947	

Plunge-cutting saw blades











HCS plunge-cutting saw blade Wood

- ▶ Plunge cutting in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ► Filigree adjustment work in wood (e.g. subsequently sawing recesses for locks and fittings)

10	30	2 608 661 639	PC1b	1	1	492 423	










BIM plunge-cutting saw blade Metal



- ► Flush cutting a copper pipe
- ► Plunge cuts in plasterboard

32	30	2 608 661 688	PC1b	1	1	545 525

1

5

492 430

484 954










BIM plunge-cutting saw blade Metal



- Flush cutting a copper pipePlunge cuts in plasterboard


	r rungo cuto in piastorboare	1		
BOSCH DM	20	20	2 608 661 640	PC1b
Marie Committee of the	20	20	2 608 661 628	PC1b







BIM plunge-cutting saw blade Metal



- ► Filigree adjustment work on non-ferrous profiles
- ► Plunge cuts in plasterboard

10	20	2 608 661 641	PC1b	1 1	492 447	







3Max grout and mortar remover

Joints out, tiles off, mortar away - all with one accessory

Routing grout, rasping away mortar or tile adhesive



All round coated, high-quality tungsten carbide grit tip (sanding/ rasping finger) for grout and mortar removal right into corners

High-quality tungsten carbide grit coated cutting edge for routing joints on wall and floor tiles

RIFF segment saw blades and sanding plate

- ► Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)
- ► Appropriate for various commercially available multi-cutters when used with universal adapter





AVZ 70 RT


HM-RIFF grout and mortar remover, 3Max

- ► Routing joints on wall and floor tiles
- ► Removing mortar or tile adhesive (e.g. when replacing damaged tiles)
- ► Removing joints in the smallest of corners with the tungsten carbide tip (sanding and rasping finger)

70	2608661757	PC1b	1	1	582 223

RIFF segment saw blades and sanding plate

- ▶ Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)
- ▶ Appropriate for various commercially available multi-cutters when used with universal adapter

















Diamond-RIFF segment saw blade

- ► Routing smaller cutouts in soft wall tiles
- ► Routing recesses in epoxy/glass fibre reinforced plastic (e.g. in a boat's hull)
- ► Routing joints on wall tiles

85 2608 661 689 PC1b 1 1 546 690











HM-RIFF segment saw blade

- ► Routing joints on wall and floor tiles
- ► Smaller cutouts in soft wall tiles
- ► Routing grooves in porous concrete, for laying concealed cables and pipes

2608661642 PC1b 492 454









ACZ 65 RT

HM-RIFF thin-kerf segment saw blade

- ► Routing extra-thin 1/16" joints on wall tiles
- Routing recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard)
- Routing grooves in porous concrete, for laying concealed cables and pipes

2608661692 PC1b 546 720









AVZ 78 RT

HM-RIFF sanding plate

- ▶ Removing mortar or tile adhesive (e.g. when replacing damaged tiles)
- ▶ Removing carpet adhesive residues from a mineral surface
- Rasping wood, for coarse adjustment work

78 2608661648 P	PC1b 1	1	492 515	

Scrapers

- ▶ Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)
- ▶ Appropriate for various commercially available multi-cutters when used with universal adapter







HCS scraper

- ► Removing mortar or tile adhesive (e.g. when replacing damaged tiles)
- ► Removing mortar and concrete residues
- ► Removing hard, brittle carpet adhesive residues

52	26	2 608 661 646	PC1b	1	1	492 492	



ATZ 52 SFC, flexible

HCS scraper

- ► Removing soft carpet adhesive residues
- ► Removing paint residues
- ► Removing silicone joints








BIM serrated segment blade

The expert for insulation materials

Quick, clean and precise cutting; material is not squeezed



Cutting blades

- ► Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)
- ► Appropriate for various commercially available multi-cutters when used with universal adapter







ACZ 100 SWB

BIM serrated segment blade

- ► Flush cutting to length of protruding insulation material, especially polystyrene
- ► Cutting insulation panels to size (e.g. Flumroc floor panel/sound insulation panel)
- ► Cutting soft materials (e.g. cardboard, carpet, rubber, leather...)

100 – –	2608661693 PC1b	1 1	546 737	
---------	------------------------	-----	---------	--

Cutting blades







HCS universal joint cutter

- ► Cutting soft expansion joints
- Cutting window putty (sealing compound)
- ► Cutting insulation materials

- 28 50 2608661691 PC1b 1 1 546713	50 2608661691 PC1b 1 1 546713
---	--------------------------------------



► Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)







AVI 93 G

Sanding plate

- ► Sanding plate with micro Velcro-type fastening system
- ► Quick, easy sanding sheet changes

93 2 608 000	353 PC1b	1	1	484 862	



Dust extraction

▶ For extracting sanding dust in combination with the sanding plate AVI 93 G

-	2608190052	PC1b	1	1	506 878	


Sanding sheets

▶ Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E









- ► For surface sanding and sanding down of surface blemishes
- ► For finishing and fine sanding of wood



Pack of 10 (set)

60 80 100 120 180	2 608 607 540	PC1b	10	1	509 497	
60	2 608 605 149	C1c	5	5	159678	
80	2 608 605 150	C1c	5	5	159 685	
100	2 608 605 151	C1c	5	5	159692	
120	2 608 605 152	C1c	5	5	159 708	
180	2 608 605 153	C1c	5	5	159715	
60	2608607879	C0a	50	1	551 526	
80	2 608 607 880	C0a	50	1	551 533	
100	2608607881	C0a	50	1	551 540	
120	2 608 607 882	C0a	50	1	551 557	
180	2 608 607 883	C0a	50	1	551 564	
	80 100 120 180 60 80 100 120 180	80 100 120 180 60 2608 605 149 80 2608 605 150 100 2608 605 151 120 2608 605 152 180 2608 605 153 60 2608 607 879 80 2608 607 880 100 2608 607 881 120 2608 607 882	80 100 120 180 60 2608605149 C1c 80 2608605150 C1c 100 2608605151 C1c 120 2608605153 C1c 180 2608607879 C0a 80 2608607880 C0a 100 2608607881 C0a 120 2608607882 C0a	80 100 120 180 60 2608 605 149 C1c 5 80 2608 605 150 C1c 5 100 2608 605 151 C1c 5 120 2608 605 152 C1c 5 180 2608 605 153 C1c 5 60 2608 607 879 C0a 50 80 2608 607 880 C0a 50 100 2608 607 881 C0a 50 120 2608 607 882 C0a 50	80 100 120 180 60	80 100 120 180 60



- ► For pre-sanding (e.g. of rough, uneven beams and boards)
- ► For surface sanding and sanding down of surface blemishes
- ► For finishing and fine sanding of wood




Pack of 10 (set)

93	60 80 120 180	2 608 607 541	PC1b	10	1	509 503	
	240						

Pack of 5

ack of 5							
93	60	2 608 605 600	C1c	5	5	170 840	
93	80	2608605601	C1c	5	5	170857	
93	120	2 608 605 602	C1c	5	5	170 864	
93	180	2 608 605 603	C1c	5	5	170871	
93	240	2 608 605 604	C1c	5	5	170 888	

Sanding sheets





- ► For sanding down paint
- For sanding precoat paint
 For finishing of primers prior to painting



Pack of 10 (set)							
93	60 80 100 240 320	2 608 607 542	PC1b	10	1	509 510	
Pack of 5							
93	60	2 608 605 134	C1c	5	5	159 524	
93	80	2 608 605 135	C1c	5	5	159 531	
93	100	2 608 605 136	C1c	5	5	159 548	
93	240	2 608 605 139	C1c	5	5	159 579	
93	320	2 608 606 693	C1c	5	5	179 584	
Pack of 50							
93	60	2 608 608 057	C0a	50	1	552 899	
93	80	2 608 608 058	C0a	50	1	552 905	
93	100	2 608 608 059	C0a	50	1	552912	
93	120	2 608 608 060	C0a	50	1	552 929	
93	180	2608608061	C0a	50	1	552 936	
93	240	2 608 608 062	C0a	50	1	552 943	

2608608063 C0a

50

552 950

320

Sanding sheets





- ► For shaping and edge chamfering
- For fine sanding during shaping
- For gloss sanding and edge rounding





	Pack	of	10	(set)
--	------	----	----	-------

93	120 240 400 600 1200	2 608 607 543	PC1b	10	1	509 527	
Pack of 5							
93	120	2 608 605 194	C1c	5	5	160 124	
93	240	2 608 605 196	C1c	5	5	160 148	
93	400	2 608 605 198	C1c	5	5	160 162	
93	600	2 608 605 199	C1c	5	5	160 179	
93	1200	2 608 605 200	C1c	5	5	159 180	
Pack of 50							
93	120	2608608081	C0a	50	1	553 131	
93	240	2 608 608 083	C0a	50	1	553 155	
93	400	2 608 608 085	C0a	50	1	553 179	
93	600	2 608 608 086	C0a	50	1	553 186	
93	1200	2 608 608 087	C0a	50	1	553 193	

Fleeces

- ▶ Suitable for bringing out the grain in wood (rustic look), de-rusting of metal and matt sanding of varnishes
- ► Cleaning fleece suitable for removing dirt and deposits without altering the workpiece surface. Works without coated abrasive - can leave behind slight scratches in soft
- ▶ Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)








Fleece

1 10000								
93	280	Coarse	2 608 604 495	C1d	1	5	070812	
93	100	Medium	2 608 604 494	C1d	1	5	070 805	

Fleeces



Polishing felt










- ► Suitable for pre-polishing very dirty or scratched surfaces using polish or grinding paste on even surfaces
- ► Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)





Sets

- ▶ Appropriate for Bosch GOP 10,8 V-LI; GOP 250 CE Professional; PMF 10,8 LI; PMF 180 E; FEIN Multimaster FMM 250 (10 mm diameter)
- ▶ Appropriate for various commercially available multi-cutters when used with universal adapter (not applicable to sanding sheets)





23-piece universal set

Basic applications combined in one set (sawing, sanding and scraping)

Suitable for wood and metal

BIM segment saw blade Wood and Metal, ACZ 85 EB (1x) BIM plunge-cutting saw blade Wood and Metal, AIZ 28 EB (1x)	2608661694	PC1b	5	1	555 203	
HCS scraper, ATZ 52 SFC (1x) Red Wood-top sanding sheet (10x) White Paint sanding sheet (10x)						



4-piece tile set

Versatile tile set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)

HM-RIFF segment saw blade, ACZ 85 RT (1x) HM-RIFF sanding plate, AVZ 78 RT (1x) HCS scraper, ATZ 52 SC (1x) BIM plunge-cutting saw blade Metal, AIZ 20 AB (1x)	2 608 661 695	PC1b	4	1	555 210	



4-piece floor/installation set

Versatile set for floor/installation work (e.g. cutting a door frame to length on the floor, cutting out laminate/parquet, plunge cuts in laminated panels or wood, cutting recesses in furniture components)

BIM segment saw blade Wood and Metal, ACZ 85 EB (1x) BIM plunge-cutting saw blade Hard Wood, AIZ 32 BB (1x) HCS plunge-cutting saw blade Wood, AIZ 32 EC (1x) HCS scraper, ATZ 52 SFC (1x)	2608661696	PC1b	4	1	555 227	

Universal adapter

Simply mount the adapter, attach the accessory and start working







Mount the adapter on the toolholder of a conventional multi-cutter power tool and attach the desired Bosch accessory.

Adapter







Universal adapter

- ► Appropriate for various commercially available multi-cutters
- ▶ **NEW:** With the help of the universal adapter, the Bosch accessories fit various commercially available multi-cutters (oscillating power tools)
- The following interfaces are supported by the universal adapter: FEIN Multimaster FMM Q, Rockwell/Worx Sonicrafter, Craftsman Multi-Tool, Mastercraft Multi-Cutter and Dremel Multi-Max
- Positive-engagement universal adapter guarantees optimum power transfer

2 600 000 460	DC1h	- 1	1	504720	

Cordless Multi-Cutter 10.8 Volt

Perfect trimming, adjusting, repairing


- ► Wide range of applications such as plunge cuts, flush sawing and sanding due to a comprehensive range of accessories
- ► Excellent handling due to compact design and weight of only 1.0 kg
- ▶ Up to 20,000 oscillations per minute for the same professional performance as comparable mains-powered tools

GOP 10,8 V-LI Professional

Technical Data			
Part number		0 60	1 858
Battery voltage			10.8 V
No-load speed	5,0	00 – 20,0	000 rpm
Oscillation angle on left/right			1.4°
Weight incl. battery			1.0 kg
Comes complete with	00B	00C	00D
2 x 1.3 Ah Li-Ion batteries (2 607 336 014)	х	-	х
Allen key	х	х	Х
Sanding plate AVI 93 G	х	х	-
36 accessories	-	-	х
5 sanding sheets	х	х	-
Universal adapter	х	-	-
BIM plunge-cutting saw blade Metal AIZ 20 AB	х	-	-
HCS plunge-cutting saw blade Wood AIZ 32 EC	х	-	-
BIM plunge-cutting saw blade Wood and Metal AIZ 28 EB	х	-	-
Cardboard box	-	х	-
L-BOXX inlay (2 608 438 012)	х	-	х
L-BOXX inlay (2 608 438 013)	-	х	-
L-BOXX (2608438692)	Х	-	х







Multi-Cutter

A universe full of possibilities - The blue problem solver

► Powerful 250-watt motor with Constant Electronic for constant work progress in every application


► Slim grip circumference for more comfortable working in precision applications and continuous use

► Easy, precise positioning on the workpiece due to oscillating motion. This enables accurate cutting and prevents damage to high-quality work materials

Other features

► Speed preselection for perfect adjustment to suit different accessories and work materials

Technical Data	
Part number	0 601 230
Rated power input	250 W
No-load speed	10,000 – 20,000 rpm
Oscillation angle on left/right	1.4°
Weight	1.3 kg
Comes complete with	000
Allen key	X
BIM plunge-cutting saw blade Wood and Metal AIZ 28 EB	Х
Sanding plate AVI 93 G	Х
HCS segment saw blade Wood, with depressed centre ACZ 85 EC	х
Delta sanding sheets K80	Х
FEIN AC Adapter (ET no. 2609110788)	Х
Cardboard box	Х






Accessories for

Work Safety

Protective goggles





Protective goggles

► Fully transparent, can be worn over glasses

EN 166 2	2 607 990 041 P1	1	1	093 705	
----------	------------------	---	---	---------	--

Protective masks



Fine dust mask

► Protects against non-toxic fine dust, for use by do-it-yourselfers, for work such as drilling, chiselling and cutting. Unsuitable protection against poisonous gases and vapours!

EN 149 FF P1	2 607 990 032	P1d	2	1	093613	



Fine dust mask

▶ Protects against low level poisonous particles, fine dust, grinding dust when sanding wood and concrete; e.g. dust from sanding paint. Same as class FF P1 but with a higher degree of protection.

EN 149 FF P2 2607 990 034 P1d 2 1 093 637




Fine dust/odour mask

► For low level poisonous particles, foul organic smells and particles (paint spray mask). With exhalation valve for easier breathing. With integrated activated charcoal filter for reduction of smells.

EN 149 F	F P2 2 607 99	0036 P1d	2	1	093 651	

Ear protectors





Ear protectors

- ► Soundproofing level 19 dB (A)
- Adjustable plastic bar. All parts washable. L rate 14 dB, M rate 20 dB, H rate 27 dB, SNR rate 23 dB

EN 352	2 607 990 042	P1d	1	1	093712	
--------	---------------	-----	---	---	--------	--



Ear protectors

- ► Soundproofing level 24 dB (A)
- ► Folding, padded, adjustable head bar. L rate 17 dB, M rate 25 dB, H rate 32 dB, SNR rate 28 dB

EN 352	2 607 990 043	P1d	1	1	093729	
--------	---------------	-----	---	---	--------	--




Ear plugs

▶ In plastic box. L rate 31 dB, M rate 32 dB, H rate 32 dB, SNR rate 34 dB

EN 352	2607990044	P1d	10	1	093736	
--------	------------	-----	----	---	--------	--

Protective gloves

▶ Hands also need to be protected, e.g. stones can become missiles during breaking work.





Protective gloves

▶ Made of grey cowhide leather, leather thickness 1.2 mm, back of hand made of twisted cotton, finger nail, wrist and pulse protection, sewn-in rubber insert, plastic-coated twisted sleeve, inside palm lining, length 26 cm, men standard size 10.

2607000134	P1d	1	1	017 954	

4	uojje oji ladi	Poolog		n oo	do did	Par ninge
Sawing	200	Round and segment saw blades	ACI 85 EB	BIM-TiN segment saw blade Multi Material, flat	85	661758
	-0		ACI 65 AB	BIM-TiN segment saw blade Multi Material, flat	65	661 759
			AOI 85 EB	BIM-TiN round saw blade Multi Material, flat	85	661760
			AOI 65 AB	BIM-TiN round saw blade Multi Material, flat	65	661761
			ACZ 100 BB	BIM segment saw blade Wood and Metal, with depressed centre	100	661633
			ACZ 85 EB	BIM segment saw blade Wood and Metal, with depressed centre	85	661636
			ACZ 85 EC	HCS segment saw blade Wood, with depressed centre	85	661 643
	CCCCCC	Plunge-cutting saw blades	AIZ 65 BB	BIM plunge-cutting saw blade Wood and Nails	65 x 40	661 781
			AIZ 28 EB	BIM plunge-cutting saw blade Wood and Metal	28 x 50	661 644
			AIZ 32 BB	BIM plunge-cutting saw blade Hard Wood	32 x 40	661 645
			AIZ 32 EC	HCS plunge-cutting saw blade Wood	32 x 40	661 637
			AIZ 20 EC	HCS plunge-cutting saw blade Wood	20 x 30	661 638
			AIZ 10 EC	HCS plunge-cutting saw blade Wood	10 x 30	661 639
			AIZ 32 AB	BIM plunge-cutting saw blade Metal	32 x 30	661 688
			AIZ 20 AB	BIM plunge-cutting saw blade Metal	20 x 20	661 640
			AIZ 10 AB	BIM plunge-cutting saw blade Metal	10 x 20	661 641
Routing and		3Max	AVZ 70 RT	HM-RIFF grout and mortar remover, 3Max	70	661757
Rasping		RIFF segment saw	ACZ 85 RD	Diamond-RIFF segment saw blade	85	661 689
		Diages	ACZ 85 RT	HM-RIFF segment saw blade	85	661 642
			ACZ 65 RT	HM-RIFF thin-kerf segment saw blade	65	661 692
		RIFF sanding plate	AVZ 78 RT	HM-RIFF sanding plate	78	661 648
Scraping		Scrapers	ATZ 52 SC,	HCS scraper, rigid	52 x 26	661 646
Scraping		Scrapers	rigid ATZ 52 SFC,	HCS scraper, flexible	52 x 38	661 647
			flexible			
Cutting		Cutting blades	ACZ 100 SWB	BIM serrated segment blade	100	661 693
			AIZ 28 SC	HCS universal joint cutter	28 x 50	661 691
Canding		Possb offers a compre		wearful 02 mm dalta canding chaota, appropriate for all multi-		

Sanding, Cleaning and Polishing



Bosch offers a comprehensive range of powerful 93 mm delta sanding sheets, appropriate for all multi-cutter power tools, for sanding paint, varnish, wood and non-metallic materials such as stone or glass.

With Velcro-type fastening system for fast sheet changes.

Trimming and adjustment work, Roofing work O O O O O O O O O
Company Comp
0 0 0
0 0

Automotive, ship building Automotive, ship buil	35 00 00 00 00 00 00 00 00 00 00 00 00 00	Celifornia Sinorce	ofiles	le motal	, cope,	s on nails		rije	iles	ricks Ticks	naterial	om Ourie)	igr ⁸⁰
• • • • • • • • • • • • • • • • • • •	Fibros Are Solida Solid			Sheet as a second and a second	W S S S S S S S S S S S S S S S S S S S	and screw		To the state of th	The document of the second of			THE SE SE SE	Month of the state
*		Autom	otive, ship b	uilding					renovation			Additiona	
• • • • • • • • • • • • • • • • • • •	•	•	•	0	•						•		Х
• • • • • • • • • • • • • • • • • • •	•	•	•	•	•						•		Х
○ ○	•	•	•	0	•						•		
○ ○ ○ ○ ○ ○ ○ ×	•	•	•	•	•						•		
0 0	0	0	0								•	х	х
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	•	•	0	•						•	х	х
0 0												х	х
x x x x x x x x x x x x x x x x x x x	0	0	0	0	•							х	x
x x x x x x x x x x x x x x x x x x x	0	0	0	•	•							х	х
x x x x x x x x x x x x x x x x x x x	0											х	х
x x x x x x x x x x x x x x x x x x x												х	х
O • • • • x												х	х
0 • • • • x												х	x
0 • • • 0 • x x • • • • 0 • x x • • • 0 • x x • • 0 • x x • • 0 x x • • 0 x x • • 0 x x • • • • • • • •	0	•	•	•	•							х	х
 • • • • • • x x • • • • • x x • • • • x x • • • x x • x x <li< td=""><td>0</td><td>•</td><td>•</td><td>•</td><td>•</td><td></td><td></td><td></td><td></td><td></td><td></td><td>х</td><td>х</td></li<>	0	•	•	•	•							х	х
 • • • • x x • • • • x x • • • x x • x x	0	•	•	•	•							х	х
 • • • • x x • • • • x x • • • x x • x x								_					
• • • • x x • x x • x x • x x • x x • x x • x x • x x • x x • x x • x x • x x • x x • x x • x x • x x							_						
• • • • x x • x x • x x • x x • x x • x x • x x • x x • x x • x x													
	•					•		0	•				
O x x							•					Х	X
O x x							0					х	х
										0		х	х
											^		
• x x													
										•	•	Х	Х

Accessories for multi-cutter power tools -

perfect trimming, adjusting and repairing





Tile and bathroom renovation.

The specialists for hard applications.





Flooring work.

The problem solvers for working really close to edges or in corners.





Trimming and adjustment work.

The professionals for working in tight spaces.





For all work with insulation materials and sealants.

The experts for precise cuts in very soft materials.





Automobile and ship building.

The specialists for sawing and polishing work on land and also at sea.



