

according to Regulation (EC) No 1907/2006

GREASE	TUBE	161543	0015
--------	------	--------	------

Revision date: 30.06.2023

Product code: 00635-0035

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GREASE TUBE 1615430015

Art.-No.

1615430015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant

1.3. Details of the supplier of the safety data sheet

Company name:	Robert Bosch Power Tools GmbH PT/EEI
Place:	70538 Stuttgart / GERMANY
Internet:	www.bosch-pt.com
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de
<u>1.4. Emergency telephone</u>	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
number:	In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 Eye Irrit. 2; H319 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

Warning

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word:

Pictograms:



Hazard statements

H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P262	Do not get in eyes, on skin, or on clothing.
P273	Avoid release to the environment.
P501	Dispose of contents/container to in accordance with local and national regulations.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients



according to Regulation (EC) No 1907/2006

GREASE TUBE 1615430015

Revision date: 30.06.2023

Product code: 00635-0035

Page 2 of 9

3.2. Mixtures

Chemical characterization

Mixture containing following substances with additives

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	Phosphate ester derivative			1 - < 3 %
	609-960-3			
	Skin Irrit. 2, Eye Dam. 1, Aquatic A	cute 1, Aquatic Chronic 3; H315 H31	8 H400 H412	
128-37-0	2,6-bis(1,1-dimethylethyl)-4-methyl	phenol		0,25 - < 1 %
	204-881-4		01-2119480433-40	
	Aquatic Acute 1, Aquatic Chronic 1	; H400 H410		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
128-37-0	204-881-4	2,6-bis(1,1-dimethylethyl)-4-methylphenol	0,25 - < 1 %
	dermal: LD50 = Aquatic Chronic	> 2000 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1 1; H410: M=1	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

If threatening unconsciousness, position and transport in recovery position.

In case of breathing difficulties give oxygen.

After inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

After contact with skin

Wash with water and soap as a precaution. Consult a doctor if skin irritation persists.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lens. Seek medical treatment by eye specialist.

After ingestion

Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. In the event of persistent symptoms receive medical treatment. Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.



according to Regulation (EC) No 1907/2006

GREASE TUBE 1615430015

Revision date: 30.06.2023

Product code: 00635-0035

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray. Fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO2), phosphorus oxides (POx) and nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire, wear suitable respiratory equipment with positive air supply.

Protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Attention. Hazard of skidding. Ensure adequate ventilation. Remove persons to safety.

For non-emergency personnel

Avoid contact with the skin and the eyes.

For emergency responders

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water. Inform competent authority about release into the sewage, ground or into waters.

6.3. Methods and material for containment and cleaning up

For containment

No special measures required.

For cleaning up

Take up mechanically. After taking up the material dispose according to regulation.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with eyes. When using do not eat, drink or smoke. Wash hands before breaks and immediately after handling the material.

Advice on protection against fire and explosion

No special protective measures against fire required.



according to Regulation (EC) No 1907/2006

GREASE TUBE 1615430015

Revision date: 30.06.2023

Product code: 00635-0035

Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container. Protect from heat and direct solar radiation.

Hints on joint storage

Incompatible with: Strong oxidizing agents Acids and bases.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Lubricant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL

Additional advice on limit values

This product does not contain any substances for which a Workplace Exposure Limit has been set in concentrations above the limits.

8.2. Exposure controls

Protective and hygiene measures

Wash hands before breaks and immediately after handling the material. When using do not eat, drink or smoke. Avoid contact with skin, eyes and clothing. Cloths contaminated with product should not be kept in trouser pockets. Before work use solvent-resistent skin protection preparation.

Eye/face protection

Safety goggles with side protection (EN 166). Eye wash bottle with pure water (EN 15154).

Hand protection

Protective gloves resistant to chemicals made of nitrile, minimum coat thickness 0.4 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Camatril Velours 730> made by www.kcl.de.

Glove material must be impermeable and resistant against product / substance / preparation. Gloves material should comply with breakthrough times, permeation rates, and degradation.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation.



according to Regulation (EC) No 1907/2006

GREASE TUBE 1615430015

Revision date: 30.06.2023

Product code: 00635-0035

Page 5 of 9

CTION 9: Physical and chemical p	properties		
I. Information on basic physical and c	hemical properties		
Physical state:	Pasty		
Colour:	White		
Odour:	Characteristic		
pH-Value:		n.d.	
Changes in the physical state			
Melting point/freezing point:		> 160 °C	
Boiling point or initial boiling point and boiling range:		n.d.	
Sublimation point:		n.a.	
Softening point:		n.d.	
Flash point:		n.d.	
Flammability Solid/liquid:		n.a.	
Explosive properties The product is not explosive.			
Lower explosion limits:		n.d.	
Upper explosion limits:		n.d.	
Auto-ignition temperature:		n.d.	
Self-ignition temperature			
Solid:		n.a.	
Gas:		n.a.	
Decomposition temperature:		n.d.	
Oxidizing properties Not oxidising.			
Vapour pressure:		n.d.	
Density (at 25 °C):		0,9 g/cm³	
Bulk density:		n.a.	
Water solubility:		insoluble	
Solubility in other solvents n.d.			
Partition coefficient n-octanol/water:		n.d.	
Viscosity / dynamic:		n.d.	
Viscosity / kinematic:		n.d.	
Flow time:		n.d.	
Relative vapour density:		n.d.	
Evaporation rate:		n.d.	
Solvent separation test:		0 %	
Solvent content:		0 %	
2. Other information			

No data available



according to Regulation (EC) No 1907/2006

GREASE TUBE 1615430015

Revision date: 30.06.2023

Product code: 00635-0035

Page 6 of 9

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Strong oxidizing agents Acids and bases.

10.6. Hazardous decomposition products

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO2), phosphorus oxides (POx) and nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Contact with skin may cause irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available. Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

GREASE TUBE 1615430015

Revision date: 30.06.2023

Product code: 00635-0035

Page 7 of 9

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Low hazard to waters.

Further information

The product floats on top of the water/sewage. Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be incinerated, when in compliance with local regulations. Should not be disposed of with household waste. Do not empty into drains.

List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

	GREASE TUBE 1615430015	
Revision date: 30.06.2023	Product code: 00635-0035	Page 8 of 9
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
No dangerous good in sense of this tra <u>14.7. Maritime transport in bulk according t</u> No dangerous good in sense of this tra <u>SECTION 15: Regulatory information</u>	o IMO instruments	
	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII)		
Entry 3		
2004/42/EC (VOC):	0 %	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juven work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		

SECTION 16: Other information

Changes

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk



according to Regulation (EC) No 1907/2006

GREASE TUBE 1615430015

Revision date: 30.06.2023

Product code: 00635-0035

Page 9 of 9

GHS = Globally Harmonized System of Classification and Labelling of Chemicals REACH = Registration, Evaluation, Authorization and Restriction of Chemicals CAS = Chemical Abstract Service EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal

warranty regulations.

(n.a. = not applicable; n.d. = not determined)

Concawe Report 5/87 Health Aspects of Lubricants DGMK-Bericht 400-7.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)