Printing date 04/03/2023 Reviewed on 06/13/2022

#### 1 Identification

- · Product identifier
- · Trade name: BOSCH PFLEGESPRAY
- · Application of the substance / the mixture

Only for proper handling.

Cleaning and maintenance agent

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Robert Bosch GmbH

Power Tools Division

DE-70745 Leinfelden-Echterdingen

Tel. +49 (0)180-3335799 hotline

Tel. +49 (0) 1801-505010

Fax +49 (0) 1801-505011

- · Information department: Product safety service
- Emergency telephone number:

USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

### 2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 4 H227 Combustible liquid.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics

· Hazard statements

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 2 Reactivity = 0

(Contd. on page 2)

Printing date 04/03/2023 Reviewed on 06/13/2022

Trade name: BOSCH PFLEGESPRAY

· HMIS-ratings (scale 0 - 4)

HEALTH 0 Health = 0
FIRE 2 Fire = 2
REACTIVITY 0 Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

EC number: 918-481-9 | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, | 60-80% | <2% aromatics | Aspiration Hazard 1, H304

### 4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air: consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Protective Action Criteria for Chemicals

_	PAC-1:	
•	FAC-I.	

78-83-1 butanol | 150 ppm

(Contd. on page 3)

(Contd. of page 1)

Printing date 04/03/2023 Reviewed on 06/13/2022

Trade name: BOSCH PFLEGESPRAY

124-07-2	octanoic acid	(Contd. of page 2) 30 mg/m³
· PAC-2:		
78-83-1	butanol	1,300 ppm
124-07-2	octanoic acid	330 mg/m³
· PAC-3:		
	butanol	8000* ppm
124-07-2	octanoic acid	2,000 mg/m <sup>3</sup>

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Do not spray on a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

Keep receptacle tightly sealed.

- · Storage class: 10
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

#### Breathing equipment:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

#### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 04/03/2023 Reviewed on 06/13/2022

Trade name: BOSCH PFLEGESPRAY

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Color: Light yellow
Odor: Characteristic
Odor threshold: Not determined.
Melting point/Melting range: Undetermined.

• Boiling point/Boiling range: 175 °C (347 °F) (DIN EN ISO 3405)

Flammability (solid, gaseous): Not applicable.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Flash point: 62 °C (143.6 °F)
Decomposition temperature: Not determined.
pH-value: Not determined.

Viscosity:

• Kinematic: <3 mm²/s @ 40 °C (<37.4 mm²/s @ 104 °F)

· Consistency

• **Dynamic:** Not determined.

· Solubility in / Miscibility with

• Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water):
 Vapor pressure:
 Not determined.
 Not determined.

Vapor pressure:

• Density at 20 °C (68 °F): 0.815 g/cm³ (6.801 lbs/gal) (ASTM D 4052)

Relative densityVapor densityNot determined.Not determined.

Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Danger of explosion: Not determined.

Solvent separation test

· **VOC content:** 79.51 %

· Change in condition

· Evaporation rate Not determined.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 04/03/2023 Reviewed on 06/13/2022

Trade name: BOSCH PFLEGESPRAY

(Contd. of page 4)

· Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- · Additional toxicological information:
- Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-classification according VwVwS, 17.05.1999): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

### 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

- · UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA Void

(Contd. on page 6)

Printing date 04/03/2023 Reviewed on 06/13/2022

Trade name: BOSCH PFLEGESPRAY

		(Contd. of page 5
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR/RID/ADN, ADN, IMDG, IATA · Class	Void	
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Void	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- No further relevant information available.
- · Sara

Section 355	extremely	hazardous	substances):
· Section 333	CALICITOR	iiazai uuus	SUDStalles).

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

L					
· TSCA (Toxic Substances Control Act):					
68424-27-1	Fettsäuren, C16-und C18-ungesättigt, Triester mit Trimethylolpropan	ACTIVE			
2082-79-3	n-octadecyl 3-(4'-hydroxy-3',5'-di-t-butylphenyl) propionate	ACTIVE			
78330-21-9	2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy}-ethoxy}-ethoxy)-ethoxy]-	ACTIVE			
78-83-1	butanol	ACTIVE			
27859-58-1	(Tetrapropenyl)bernsteinsäure	ACTIVE			
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	ACTIVE			
26566-95-0	Zinkbis[O-(2-ethylhexyl)]bis[O-(isobutyl)]bis(dithiophosphat)	ACTIVE			
17463-34-2	Octanoic acid, compound with octylamine (1:1)	ACTIVE			
124-07-2	octanoic acid	ACTIVE			

#### · Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 7)

Printing date 04/03/2023 Reviewed on 06/13/2022

Trade name: BOSCH PFLEGESPRAY

(Contd. of page 6)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· Date of preparation / last revision 04/03/2023

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 4: Flammable liquids - Category 4 Aspiration Hazard 1: Aspiration hazard - Category 1

\* \* Data compared to the previous version altered.